



**france
hopital**

REFINING HEALTHCARE



PERLA

Versatile multifunction trolley,
simple and efficient

2 heights (8 or 10 modules) and 2 widths
(400 or 600 mm), good for all combinations of
baskets, shelves and FH-Drawers.

With an open front (as in this picture), or closed
by door or rolling shutter.

Accessorizable with:

- Overbridge (trellis) with rails
- Accessory tube
- Quick-fix side-mount universal
accessory (SABU system)
- Plenty of accessories available:
waste containers, glovebox
holders, dispensers, ...



Base features PERLA 400

Angular posts

anodized extruded aluminium

Dimensions

PERLA 408: 55,5 x 57 x 94,6 H cm

PERLA 410: 55,5 x 57 x 110,6 H cm

Closing system

Open, with rolling shutter, with door

Wheels

Single, swiveling, Ø 100 mm, 2 with brake



Weights

- Open: 26 kg approx.
- Rolling shutter: 28 kg approx.
- Door: 34 kg approx.

Total load capacity

300 kg

FH-Drawers

Drawers 410x470 mm – H 76, 156 e 236 mm
(1-2-3 modules)

Side-mount accessory rails

Standard UNI 10x25 mm, compatible with all accessories,
exclusive snap-on-and-off SABU™ system

Overbridge (trellis)

2x Ø 25 mm stainless steel tubes are fastened at the
desired height on the back of the.
2 or more 10x25 mm universal accessory bars in extruded
aluminium are then placed horizontally.
The overbridge is height adjustable.

Base features PERLA 600

Angular posts

anodized extruded aluminium

Dimensions

PERLA 608: 74,7 x 57 x 94,6 H cm

PERLA 610: 74,7 x 57 x 110,6 H cm

Closing system

Open, with rolling shutter, with doors

Wheels

Single, swiveling, Ø 100 mm, 2 with brake

ISO 600x400 compatibility

Full compatibility with one of the leading standards in healthcare.

Weights

- Open: 34 kg approx.
- Rolling shutter: 36 kg approx.
- Doors: 40 kg approx.

Total load capacity

300 kg

FH-Drawers

Drawers 610x470 mm – H 76, 156 e 236 mm
(1-2-3 modules)

Side-mount accessory rails

Standard UNI 10x25 mm, compatible with all accessories,
exclusive snap-on-and-off SABU™ system

Overbridge

2x Ø 25 mm stainless steel tubes are fastened at the
desired height on the back of the.

2 or more 10x25 mm universal accessory bars in anodized
extruded aluminium are then placed horizontally.

The overbridge is height adjustable.



More features

Worktop

Virgin injection molded ABS plastic.
 3 tall containment rims (35 mm H).
 Front facing anti-drip rim (10 mm H).
 All edges and corners are rounded.
 All surfaces can be sanitized.

Usable surface PERLA 400: 47 x 49 cm
 Usable surface PERLA 600: 66,5 x 49 cm

Base

Virgin injection molded ABS plastic.
 Integrated bumper on the 4 corners.
 All edges and corners are rounded.
 All surfaces can be sanitized.



Design and production

Product 100% made in Italy.

On-demand accessories

- 1 or 2 push-handles, in anodized extruded aluminium, ergonomic shape and height-adjustable – cod. TRSMSPIN
- Side-mount anodized extruded aluminium accessory rails, height adjustable – cod. PRE-SABU
- Stainless steel accessory tube Ø25 mm x 600 H mm – cod. THK
- Overbridge made of 2 vertical stainless steel tubes and 2 or more anodized extruded aluminium universal accessory rails – cod. THK-2B

PERLA 400 open

Multifunction trolley
Cod. HK408 / HK410

Dimensions

8 modules: 55,5 x 57 x 94,6 H cm – worktop height 91 H cm
10 modules: 55,5 x 57 x 110,6 H cm – worktop height 107 H cm

Configuration

Empty, can be equipped with

- Universal accessory rails
- Push-handles
- Shelves
- Accessory tube or complete overbridge



PERLA 600 open

Multifunction trolley
Cod. HK608 / HK610

Dimensions

8 modules: 74,7 x 57 x 94,6 H cm – worktop height 91 H cm
10 modules: 74,7 x 57 x 110,6 H cm – worktop height 107 H cm

Configuration

Empty, can be equipped with

- Universal accessory rails
- Push-handles
- Shelves and several ISO 600x400 accessories
- Accessory tube or complete overbridge



PERLA 400 with door

Multifunction trolley

Cod. HK408-A / HK410-A

Dimensions

8 modules: 55,5 x 57 x 94,6 H cm – worktop height 91 H cm

10 modules: 55,5 x 57 x 110,6 H cm – worktop height 107 H cm

Configuration

Empty, can be equipped with

- Universal accessory rails
- Push-handles
- Shelves
- Accessory tube or complete overbridge



PERLA 600 with doors

Multifunction trolley

Cod. HK608-A / HK610-A

Dimensions

8 modules: 74,7 x 57 x 94,6 H cm – worktop height 91 H cm

10 modules: 74,7 x 57 x 110,6 H cm – worktop height 107 H cm

Configuration

Empty, can be equipped with

- Universal accessory rails
- Push-handles
- Shelves and several ISO accessories
- Accessory tube or complete overbridge



PERLA 400 with rolling shutter

Multifunction trolley

Cod. HK408-S / HK410-S

Dimensions

8 modules: 55,5 x 57 x 94,6 H cm – worktop height 91 H cm

10 modules: 55,5 x 57 x 110,6 H cm – worktop height 107 H cm

Configuration

Empty, can be equipped with

- Universal accessory rails
- Push-handles
- Shelves
- Accessory tube or complete overbridge



PERLA 600 with rolling shutter

Multifunction trolley

Cod. HK608-S / HK610-S

Dimensions

8 modules: 74,7 x 57 x 94,6 H cm – worktop height 91 H cm

10 modules: 74,7 x 57 x 110,6 H cm – worktop height 107 H cm

Configuration

Empty, can be equipped with

- Universal accessory rails
- Push-handles
- Shelves and several ISO accessories
- Accessory tube or complete overbridge



PERLA: suggested configurations



HK408-4C

- 2 accessory rails
- 4 FH-Drawers



HK408-A

- door
- stainless steel shelf



HK408-S-2R

- rolling shutter
- 2 stainless steel shelves
- 2 accessory rails



HK608-6C

- 2 accessory rails
- 6 transparent FH-Drawers



HK610-A

- doors
- 1 shelf + 1 FH-Drawer
- 2 accessory rails



HK610-S

- rolling shutter
- transparent FH-Drawers
- ISO basket
- 3 accessory rails
- overbridge

Technical Specs

PERLA versatile trolley for various purposes.

- **Assembled structure** with anodized extruded aluminium angular posts with grooves for accessory rails and push-handles
- **Lateral and back panels** in aluminium composite material
- **Worktop and base** in grey injection moulded ABS plastic - reinforced steel frame
 - Worktop with containment rims on 3 sides H 35 mm and smaller front rim H 10 mm
 - Worktop usable surface PERLA 400: 47 x 49 cm
 - Worktop usable surface PERLA 600: 66,5 x 49 cm
- **Base** with built-in bumpers
- 4 single **wheels** Ø 100 mm, swiveling, non-marking, anti-thread, 2 with brakes
- **Inside:** plastic rails for several accessories
- **Front** available: **1)** open **2)** with doors & key-lock **3)** with rolling shutter
- **Footprint:** PERLA 400 55x57 cm – PERLA 600 75x57 cm
- **Height:**
 - PERLA 400/600 **8 modules** 95 cm worktop 91 cm
 - PERLA 400/600 **10 modules** 111 cm worktop 107 cm
- **Total load** capacity 300 Kg

>> **Accessories** (shelves, FH-drawers, ISO-baskets,...) on demand





france
hopital

REFINING HEALTHCARE